

SI-1106TB3

Specification



Revision Notice

R.1.1 2018.03.18

Legacy USB-C video function renew.

R.1.0 2018.03.14

Initial release.

TABLE OF CONTENTS

1. Appearance	4
2. Specification	4
3. Features	5
4. Operating System Support	5
5. Power & Accessories	5

1. Appearance



2. Specification

- A. TBT3 x1
- B. 1Gbps RJ-45
- C. SD Card (UHS-II)
- D. DisplayPort1.4
- E. HDMI2.0
- F. USB3.2 gen.2 typeA

3. Features

- A. Compact and portable.
- B. Supports 1x thunderbolt3 40Gbps.
- C. 1GbEthernet.
- D. 1x USB3.2 gen.2 10Gbps TypeA.
- E. Support SD Card4.0(UHS-II)
- F. HDMI2.0 for 4K@60Hz
- G. DisplayPort1.4 for 8K@60Hz(DSC), 5K@60Hz, and 4K@120Hz.
- H. DisplayPort supports HDR, HDCP2.2, and VESA Adaptive Sync (FreeSync).
- I. Bus powered.

4. Operating System Support

- A. Mac OS X 10.13.x and future releases.
- B. Windows10 32 and 64 bit and future releases.

5. Power & Accessories

- A. User manual x1.
- B. Retail Color Box x1.