


SI- 1254LUS3C

2.5Gb Ethernet Adapter

Specification



Revision Notice


R.1.0 2018.12.04

Initial release.

TABLE OF CONTENTS

1. Appearance	4
2. Specification	4
3. Features	4
4. Operating System Support.....	5
5. Environment	5
6. Power & Accessories	5

1. Appearance



2. Specification

- A. 1 x RJ45 port (2.5G ethernet).
- B. 1 x USB3.1 Gen.1 type-C captive cables.

3. Features

- A. High quality plastic material.
- B. Compact and neat design for Embedded captive cables.
- C. Dimensions: 84.0x24.0x14.0mm.
- D. Ethernet data-transfer speed up to 2.5 Gbps.
- E. Backward compatible with 1Gigabit Ethernet (1GbE) or 100 Megabit Ethernet (100MbE). Support USB backwards compatible with USB 2.0.
- F. Bus power.

4. Operating System Support

- A. Mac OS X 10.4 and future releases.
- B. Windows XP, VISTA, 7 SP1 32 and 64 bit, Windows 8/8.1/10 32 and 64 bit and future releases.

5. Environment

- A. Operating Temperature: 5°C ~ 35°C
- B. Operating Humidity: 20%RH ~ 80%RH
- C. Storage Temperature: -20°C ~ 50°C
- D. Storage Humidity: 20%RH ~ 80%RH

6. Power & Accessories

- A. Retail Color Box x 1.
- B. User's manual x 1.