

SI-404CF Specification





Revision Notice

R.1.0 2017.7.19

Initial release.

Page 2 2017/07/19



TABLE OF CONTENTS

1.	Appearance	4
2.	Specification	4
3.	Features	4
4.	Operating System Support	4
5.	Environment	5
6	Power & Accessories	5



1. Appearance



2. Specification

- A. 1 x USB Type C Receptacle.
- B. 1 x CFast2.0 Card Reader.
- C. 1 x LED indicators.

3. Features

- A. High-strength ABS+PC plastic and High quality metal for optimized heat dissipation.
- B. USB 3.1 Gen 2 super speed up to 10 Gbps.
- C. CFast2.0 Card Reader super supped up to 550MB/s.
- D. Support bus power.
- E. Top mounted drive LED for power.

4. Operating System Support

A. Mac OS X 10.6.x and future releases.



B. Windows VISTA, 7 32 and 64 bit, Windows 8/8.1/10 32 and 64 bit and future releases.

5. Environment

- A. Operating Temperature: 5°C ~ 35°C
- B. Operating Humidity: 20%RH ~ 80%RH
- C. Storage Temperature: -20°C ~ 50°C
- D. Storage Humidity: 20%RH ~ 80%RH

6. Power & Accessories

- A. Retail Color Box x 1.
- B. USB 3.1 Gen.2 Type C to Type C cable x 1 meter.
- C. User's manual x 1.

Page 5 2017/07/19