


# SI-452TB4 Specification



## Revision Notice


**R.1.0 2020.09.17**

Initial release.

## TABLE OF CONTENTS

1. Appearance.....	4
2. Specification .....	4
3. Features.....	4
4. Operating System Support .....	5
5. Power & Accessories.....	5

## 1. Appearance



## 2. Specification

- A. Thunderbolt4 upstream x2
- B. Thunderbolt4 udownstream x3
- C. USB3.1 10G type A x4

## 3. Features

- A. Compact size.
- B. Supports 2x thunderbolt3 40Gbps.
- C. **KVM mode can connect 2x computers and switch between PC1 or PC2.**
- D. Supports DisplayPort1.4 up to 8K@60Hz(DSC1.2 enable), 5K@60Hz output(needs TBT3 to DP dongle or USB-C to DP dongle).
- E. Backward compatible with USB-C computers.
- F. USB3.1 type A supports 10Gbps and BC1.2 5V@2.4A charge for iPad, cell phone.
- G. Supports PD3.0 85W charging.
- H. Be compatible with Thunderbolt3 and legacy USB host.

#### **4. Operating System Support**

- A. Mac OS 11 and future releases.
- B. Windows 10 32 and 64 bit and future releases.

#### **5. Power & Accessories**

- I. Power Supply: External universal Power adaptor x1.
- J. Thunderbolt4 cable (optional).
- K. User manual x1.
- L. Retail Color Box x1.