

# SI-7925US31C-D

## Specification



## Revision Notice

Rev.	Date	Description
1.0	Aug.24.2020	Initial release.




---

## TABLE OF CONTENTS

1. Appearance.....	4
2. Specification.....	4
3. Features.....	4
4. Operating System Support.....	5
5. Environment.....	5
6. Power & Accessories.....	5

## 1. Appearance



## 2. Specification

- A. 1 x USB3.1 Gen.2 Type-C port.
- B. 1 x DC-Jack Socket.
- C. 1 x Power button.
- D. 1 x Option switchover button.
- E. 2 x SATA 7+15 Connector (built-in).

## 3. Features

- A. High quality aluminum body for optimized heat dissipation.
- B. Dimensions: 140.0x131.0x70.0mm.
- C. Functional LED copy capacity status indicator, SSD/HDD status indicator and PC mode or duplicator mode status indicator.
- D. Support PC Mode and Clone mode switchable (Hold the [Mode switch] for about 3 seconds, the PC mode will change to the DUP mode, vice versa).
- E. Under the DUP mode, press the [START switch], the duplicator start to work. Every 25%

complete copy, one progress LED will be light. progress indicator  
(25%~50%~75%~100%)

- F. The Power button switch Using MCU control (default Mode is PC mode [every first power on], press the [POWER switch] for power on, hold the [POWER switch] for 3seconds, power off.)
- G. Supports 2 x SATA-III 3.5" or 2.5" HDD/SSD, Supports 8TB or above HDD.
- H. USB3.1 Gen2 type-C supports 10Gbps transfer rate to Host, backward compatible with USB2.0 and USB1.1.

#### **4. Operating System Support**

- A. Mac OS X 10.14.4 and future releases.
- B. Windows XP, 7 SP1 32 and 64 bit, Windows 8/8.1 32 and 64 bit, Windows 10 32 and 64 bit and future releases.

#### **5. Environment**

- A. Operating Temperature: 5°C ~ 55°C
- B. Operating Humidity: 20%RH ~ 80%RH
- C. Storage Temperature: -20°C ~ 50°C
- D. Storage Humidity: 20%RH ~ 80%RH

#### **6. Power & Accessories**

- A. Retail Color Box x 1.
- B. Quick Start Guide document x 1.
- C. Power Supply: External universal Power adaptor x 1 ( 12V/3A )
- D. USB 3.1 Gen 2 Type C to Type C Cable (no e-mark) 1.0 Meter. (Option)