


# SI-8513US31C (SATA)

## Specification



**Revision Notice**


<b>Rev.</b>	<b>Date</b>	<b>Description</b>
1.0	Feb.08.2021	Initial release.
1.1		

---

## TABLE OF CONTENTS

1. Appearance.....	4
2. Specification.....	4
2.1 IC Controllers.....	4
2.2 Interface.....	4
3. Features.....	4
4. Operating System Support.....	5
5. Block Diagram.....	5
6. Power & Accessories.....	5

## 1. Appearance



## 2. Specification

- A. 1 x USB3.1 Gen.2 Type-C port.
- B. 1 x B-Key M.2 SATA SSD socket (built-in).

## 3. Features

- A. High quality aluminum body for optimized heat dissipation.
- B. Dimensions: 104.00x35.00x14.50mm, Small and compact.
- C. Functional LED power indicator.
- D. USB3.1 Gen2 supports 6Gbps to Host, backward compatible with USB2.0 and USB1.0.
- E. Supports 1 x M.2 SATA SSD transfer speed up to 6Gbps.
- F. Bus-Powered.

#### 4. Operating System Support

- A. Mac OS X 10.6.x and future releases.
- B. Windows VISTA, 7 32 and 64 bit, Windows 8/8.1/10 32 and 64 bit and future releases.

#### 5. Power & Accessories

- A. Retail Color Box x 1.
- B. USB 3.1 Gen 2 Type C to Type C Cable (without e-mark) 0.15 Meter. (Option)
- C. USB 3.1 Gen 2 Type A to Type C Cable (without e-mark) 0.15 Meter. (Option)